Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 26, September 29, 2011

For the Period September 20 to 26, 2011

Another week of warm weather has Saskatchewan producers well ahead of the five-year harvest progress average. Ninety-one per cent of the 2011 crop has been combined, according to Saskatchewan Agriculture's Weekly Crop Report.

Seven per cent is swathed or ready to straight-cut. The five year (2006-2010) provincial average for this time of year is 72 per cent combined and 18 per cent swathed or ready to straight-cut. Rain showers earlier in the week slowed down combines in some areas in the south part of the province.

The southeast has 92 per cent combined, the southwest 93 per cent, the east central 90 per cent and the west central 93 per cent combined. The northeast has 90 per cent combined and the northwest has 84 per cent combined. Ninety-two per cent of the durum, spring wheat and barley, 89 per cent of the canola and 53 per of the flax have been combined.

Across the province, topsoil moisture on cropland is rated as one per cent surplus, 59 per cent adequate, 33 per cent short and seven per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 55 per cent adequate, 35 per cent short and nine per cent very short.

Pasture conditions across the province are rated as six per cent excellent, 54 per cent good, 32 per cent fair, six per cent poor and two per cent very poor. Ninety-nine per cent of livestock producers have indicated they have adequate livestock water supplies.

Farmers are busy harvesting, hauling bales and controlling weeds on unseeded acres.

One year ago
Warm and sunny weather allowed for producers to continue with harvest. Twenty-nine per cent of the 2010 crop had been harvested.

Harvest Progress in SK Per cent combined All Crops	
Sept 26/11	91
5 year avg. (2006-2010)	72
Sept 27/10	29
Sept 28/09	72
Sept 28/08	82
Sept 30/07	87
Sept 24/06	92
Saskatchewan Harvest % combined this week (September 26, 2011)	
Winter wheat	100
Fall rye*	100
Spring wheat	92
Durum	92
Oats**	80
Barley	92
Canola	89
Mustard	85
Flax	53
Lentils	99
Peas	100
Chickpeas	N/A
Canaryseed	75

*includes 14 per cent 'other'
**includes three per cent 'other'

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Tel: (306) 694-3592. Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Good harvest progress was made after a brief rain showers in some areas. Ninety-two per cent of the crop has been combined. Four per cent of the crop has been swathed or is ready to straight-cut. The Frobisher area received 15 mm, the Stoughton and Windthorst areas 13 mm, the Broadview area 6 mm, the Weyburn and Ceylon areas 22 mm, the Indian Head area 17 mm, and the Marquis area 11 mm.

Crop district 1A has 97 per cent combined, CD 1B 89 per cent, CD 2A 92 per cent, CD 2B 90 per cent and CD 3ASE 93 per cent has been combined.

The average yields for the region are as follows: winter wheat 39 bu/ac, spring wheat 26 bu/ac, durum 26 bu/ac, oats 56 bu/ac, barley 35 bu/ac, fall rye 40 bu/ac, flax 12 bu/ac, canola 22 bu/ac, mustard 800 lbs/ac, lentils 800 lbs/ac, peas 27 bu/ac and canaryseed 1000 lbs/ac. Yields varied greatly within the region, depending on spring moisture. Some areas in CD's 2B and 3ASE received less rain throughout the year compared to the other crop districts.

Topsoil moisture rating on cropland is reported as five per cent surplus, 79 per cent adequate, 13 per cent short and three per cent very short. On hay land and pasture, topsoil moisture is rated as three per cent surplus, 75 per cent adequate, 20 per cent short and two per cent very short.

Ninety-nine per cent of cattle producers have indicated adequate water supply for their livestock. Pasture conditions in the region are rated as seven per cent excellent, 78 per cent good, 14 per cent fair and one per cent poor.

Some oats and flax crops were damaged by frost received on Sept. 13. Producers are busy harvesting, controlling weeds, baling straw and hauling bales.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Warm weather allowed producers to make significant harvest progress. Ninety-three per cent of the crop has been harvested. Four per cent has been swathed or is ready to straight-cut. A few areas reported rain in the south east area of the region. The Fife Lake area reported 15 mm, the Limerick area 14 mm, the Spring Valley area 11 mm and the Hazenmore area 5 mm.

CD 3ASW has 85 per cent combined, CD 3AN 96 per cent, CD 3BS 91 per cent, CD 3BN 98 per cent, CD 4A 84 per cent and CD 4B has 97 per cent combined.

The average yields for the region are as follows: winter wheat 39 bu/ac, spring wheat 32 bu/ac, durum 35 bu/ac, oats 53 bu/ac, barley 50 bu/ac, fall rye 39 bu/ac, flax 18 bu/ac, canola 24 bu/ac, mustard 900 lbs/ac, lentils 1400 lbs/ac, peas 31 bu/ac, canaryseed 1000 lbs/ac and chickpeas 1100 lbs/ac. Yields vary greatly across the region. Some areas in the southern half of the region experienced excess moisture in the spring and a dry summer resulting in lower than expected yields.

Topsoil moisture rating on cropland is reported as 52 per cent adequate, 43 per cent short and five per cent very short. Topsoil moisture on hay land and pasture, is rated as 48 per cent adequate, 46 per cent short and six per cent very short. Crop districts 3BS and 4A are reporting 62 and 54 per cent short of topsoil moisture on cropland. On pasture and hay land, these districts are reporting 23 and 25 per cent very short on topsoil moisture, respectively.

Ergot is causing downgrading of durum and spring wheat. Grasshoppers are causing problems in some winter wheat crops. Many crop reporters indicated most of the crop will harvested by the end of the month.

Ninety-nine per cent of cattle producers have indicated they have an adequate water supply for their livestock. Pasture conditions in the region are rated as five per cent excellent, 54 per cent good, 40 per cent fair and one per cent poor.

Producers are busy harvesting, controlling weeds on unseeded acres, hauling bales and baling straw.

East-Central Saskatchewan (Crop Districts 5 and 6A)

Ninety per cent of the 2011 crop has been harvested. Eight per cent has been swathed or is ready to straight-cut. A few areas reported rain earlier in the week; however most producers in the region were able to continue combining. The Abernethy and Goodeve areas recorded 5 mm, the Lumsden area 8 mm and the Bethune area 16 mm.

Crop district 5A has 88 per cent combined, CD 5B 86 per cent, and CD 6A has 96 per cent combined.

The average yields for the region are as follows: winter wheat 41 bu/ac, spring wheat 36 bu/ac, durum 38 bu/ac, oats 73 bu/ac, barley 55 bu/ac, fall rye 35 bu/ac, flax 23 bu/ac, canola 30 bu/ac, mustard 1100 lbs/ac, lentils 1400 lbs/ac, peas 35 bu/ac and canaryseed 1000 lbs/ac. Yields vary greatly across the region depending on spring moisture and seeding date.

Topsoil moisture rating on cropland is reported as two per cent surplus, 71 per cent adequate, 23 per cent short and four per cent very short. On hay land and pasture, topsoil moisture is rated as one per cent surplus, 67 per cent adequate, 25 per cent short and seven per cent very short. CD 6A is reporting 48 and 46 per cent short of topsoil moisture on cropland and hay and pasture land, respectively.

All cattle producers have indicated adequate water supply for their livestock. Pasture conditions in the region are rated as nine per cent excellent, 53 per cent good, 27 per cent fair, nine per cent poor and two per cent very poor.

The majority of producers will be done harvest by the end of the month. Farmers are busy harvesting, controlling weeds, baling straw, hauling bales and getting ready for fall fertilizer application.

West-Central Saskatchewan (Crop Districts 6B and 7)

Very little rain resulted in good harvest progress. Ninety-three per cent of the 2011 crop has been combined and six per cent has been swathed or is ready to straight-cut. The Outlook area reported 3 mm and Kindersley area reported 5 mm.

Crop districts 6B and 7A have 92 per cent combined and CD 7B has 95 per cent combined.

The average yields for the region are indicated as: winter wheat 50 bu/ac, spring wheat 39 bu/ac, durum 42 bu/ac, oats 66 bu/ac, barley 60 bu/ac, fall rye 32 bu/ac, flax 25 bu/ac, canola 35 bu/ac, mustard 1200 lbs/ac, lentils 1400 lbs/ac, peas 39 bu/ac and canaryseed 1200 lbs/ac.

Topsoil moisture rating on cropland is reported as 43 per cent adequate, 48 per cent short and nine per cent very short. On hay land and pasture, topsoil moisture is rated as 37 per cent adequate, 50 per cent short and 13 per cent very short. Crop district 6B is reporting 13 per cent very short in topsoil moisture on cropland and hay and pasture land. CD 7B is reporting 15 per cent very short of topsoil moisture on hay and pasture land.

Ninety-seven per cent of cattle producers have indicated adequate water supply for their livestock. Pasture conditions in the region are rated as 12 per cent excellent, 31 per cent good, 42 per cent fair, 14 per cent poor and one per cent very poor.

Aeration fans are running to cool down canola harvested in the hot weather. Some producers combined at night to avoid hot temperatures to allow the crop to gain some moisture. Producers are busy harvesting, hauling bales and controlling weeds.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Another warm and dry week allowed farmers to gain 18 per cent in harvest progress. Ninety per cent of the crop has been combined. Nine per cent has been swathed or is ready to straight-cut.

Crop district 8A has 90 per cent of the crop combined, CD 8B 93 per cent and CD 9AE has 81 per cent combined.

The average yields for the region are as follows: winter wheat 40 bu/ac, spring wheat 37 bu/ac, oats 83 bu/ac, barley 61 bu/ac, fall rye 37 bu/ac, flax 22 bu/ac, canola 31 bu/ac, peas 33 bu/ac and canaryseed 1300 lbs/ac.

Topsoil moisture rating on cropland is reported as 53 per cent adequate, 39 per cent short and eight per cent short. On hay land and pasture, topsoil moisture is rated 49 per cent adequate, 47 per cent short and four per cent very short.

Ninety-nine per cent of cattle producers have indicated they have an adequate water supply for their livestock. Pasture conditions in the region are rated as 60 per cent good, 32 per cent fair, seven per cent poor and one per cent very poor.

Producers are busy harvesting, controlling weeds and hauling bales.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Good harvest progress was made during the week, 84 per cent of the 2011 crop has been combined. Fourteen per cent has been swathed or is ready to straight-cut.

Crop district 9AW has 91 per cent of the crop combined and CD 9B has 77 per cent of the crop combined.

The average yields for the region are as follows: winter wheat 50 bu/ac, spring wheat 40 bu/ac, oats 89 bu/ac, barley 64 bu/ac, fall rye 33 bu/ac, flax 20 bu/ac, canola 33 bu/ac and peas 36 bu/ac.

Topsoil moisture rating on cropland is reported as 51 per cent adequate, 37 per cent short and 12 per cent short. On hay land and pasture, topsoil moisture is rated as 42 per cent adequate, 42 per cent short and 16 per cent very short. Both crop districts are reporting 17 per cent very short of topsoil moisture on cropland. CD 9B is reporting 28 per cent very short of topsoil moisture on hay and pasture land.

Ninety-five per cent of cattle producers have indicated they have an adequate water supply for their livestock. Pasture conditions in the region are rated as 29 per cent good, 46 per cent fair, 13 per cent poor and 12 per cent very poor.

Some canola crops were damaged from the frost received on Sept. 13. There are still some farmers waiting for swaths to cure. Some farmers combined canola with some green seed and are observing the situation. Farmers are busy harvesting and hauling bales and controlling weeds.

Saskatchewan Harvest Progress September 26, 2011

winter wheat	% Standing	% in swath	% ready to straight combine	% combined
southeast	0	0	0	100
southwest	0	0	0	100
east central	0	0	0	100
west central	0	0	0	100
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
Fall rye	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**
southeast	0	0	0	100
southwest*	0	0	0	85
east central	0	0	0	100
west central**	0	0	0	98
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A

*15 per cent rated as 'other'
**two per cent rated as 'other'

Spring wheat	% Standing	% in swath	% ready to straight combine	% combined
southeast	1	2	1	96
southwest	3	2	3	92
east central	2	6	2	90
west central	2	3	5	90
northeast	0	1	4	95
northwest	1	3	5	91
Durum	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**
southeast	1	2	1	96
southwest	3	2	3	92
east central	0	2	2	96
west central	0	3	6	91
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
Oats	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**
southeast*	2	6	5	85
southwest**	10	4	2	73
east central	2	17	1	80
west central*	3	14	3	78
northeast	3	3	7	87
northwest±	6	8	6	76

*two per cent is rated as 'other'
**11 per cent is rated as 'other'
±four per cent rated as 'other'

Barley	% Standing	% in swath	% ready to straight combine	% combined
southeast*	1	3	0	92
southwest**	2	2	3	91
east central	4	7	2	87
west central	1	3	1	95
northeast	1	3	2	94
northwest	2	5	2	91
*four per cent is rated as 'other' **two per cent rated as 'other'				
Lentils	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**
southeast	0	0	1	99
southwest	1	0	0	99
east central	0	0	0	100
west central	0	0	0	100
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
*two per cent is rated as 'other'				
Peas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**
southeast	0	0	1	99
southwest	0	0	0	100
east central	0	0	0	100
west central	0	0	1	99
northeast	0	0	0	100
northwest	0	1	0	99
Canola	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**
southeast	0	0	0	100
southwest	1	1	0	98
east central	0	8	1	91
west central	0	7	0	93
northeast	0	12	2	86
northwest	0	24	1	75
Mustard	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**
southeast	0	0	0	100
southwest*	2	13	2	83
east central	4	1	3	92
west central	7	1	14	78
northeast	0	5	10	85
northwest	N/A	N/A	N/A	N/A
*one per cent is rated as 'other'				

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined
southeast	23	0	2	75
southwest	4	0	4	92
east central	8	12	7	73
west central	2	4	19	75
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
Flax	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**
southeast	34	5	6	55
southwest	47	1	10	42
east central	17	19	10	54
west central	23	8	14	55
northeast	30	12	6	52
northwest	11	0	0	89

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending September 26, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 28, 2011

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period Sept 20 to 26, 2011

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	240
	2	Mount Pleasant	N/A	294
	3	Enniskillen	15	378
	33	Moose Creek	N/A	344
	34	Browning	NIL	415
	61	Antler	N/A	305
	63	Moose Mountain	NIL	376
	64	Brock	8	375
	65	Tecumseh	13	523
1B	91	Maryfield	NIL	388
	92	Walpole	N/A	350
	95	Golden West	13	409
	122	Martin	5	525
	123	Silverwood	NIL	409
	124 A	Kingsley	6	366
	125	Chester	N/A	287
	151 A	Rocanville	NIL	494
	151 B	Rocanville	N/A	394
	153	Willowdale	NIL	452
	154	Elcapo	N/A	359
	155	Wolseley	4	413
2A	66	Griffin	N/A	316
	67	Weyburn	N/A	497
	68	Brokenshell	22	507
	69	Norton	N/A	413
	97	Wellington	N/A	473
2B	127 A	Francis	10	399
	127 B	Francis	NIL	300
	129	Bratt's Lake	11	301
	156	Indian Head	17	397
	160 A	Pense	N/A	207
	160 B	Pense	1	258
	161	Moose Jaw	N/A	193
	191	Marquis	11	219
3ASE	38 A	Laurier	NIL	470
	38 B	Laurier	NIL	471
	39 A	The Gap	NIL	375
	39 B	The Gap	22	520
	10	Happy Valley	N/A	530
3ASW	12	Poplar Valley	15	347
	40	Bengough	N/A	523
	42	Willow Bunch	NIL	436
	43	Old Post	8	429
	44 A	Waverley	NIL	325
	44 B	Waverley	N/A	311
	70	Key West	N/A	473
	71	Excel	N/A	425
	73 A	Stonehenge	N/A	371
	73 B	Stonehenge	14	404
	74	Wood River	7.59	361
	17	Val Marie	NIL	535
3AN	18	Lone Tree	N/A	259
	45	Mankota	N/A	543
	75 A	Pinto Creek	5	361
	75 B	Pinto Creek	NIL	362
	76 A	Auvergne	NIL	286
	76 B	Auvergne	NIL	280
	77	Wise Creek	NIL	282
	78 A	Grassy Creek	NIL	341
	78 B	Grassy Creek	NIL	330
	78 C	Grassy Creek	N/A	286
	101	Terrell	11	322
	102	Lake Johnston	NIL	327
	103	Sutton	NIL	350
	105	Glenbain	N/A	348
	106	Whiska Creek	NIL	296
	107	Lac Pelletier	N/A	237
	108	Bone Creek	NIL	323
	134	Shamrock	N/A	270
	164	Chaplin	N/A	314
	193 A	Eyebrow	N/A	224
	193 B	Eyebrow	N/A	236
	194	Enfield	N/A	219
	138	Webb	NIL	239
3BN	166	Excelsior	2	289
	167	Sask. Landing	3.4	328
	168	Riverside	NIL	227
	226	Victory	N/A	240
	228	Lacadena	NIL	235
	257	Monet	NIL	213

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	109	Carmichael	N/A	319
	110	Piapot	NIL	164
	111	Maple Creek	N/A	151
	49 A	White Valley	NIL	226
	49 B	White Valley	N/A	215
	51	Reno	NIL	330
	79	Arlington	NIL	245
4B	139	Gull Lake	NIL	206
	141	Big Stick	NIL	189
	142	Enterprise	NIL	204
	169	Pittville	N/A	201
	171	Fox Valley	N/A	194
	231	Happyland	NIL	218
5A	183	Fertile Belt	NIL	592
	186	Abernethy	5	317
	211	Churchbridge	NIL	430
	213	Saltcoats	2	423
	216	Tullymet	NIL	308
	217	Lipton	N/A	267
	241	Caldor	NIL	368
	243	Wallace	N/A	336
	245 A	Garry	N/A	322
	245 B	Garry	NIL	420
	245 C	Garry	5	388
	246	Ituna Bon Accord	NIL	338
	247	Kellross	NIL	327
	248	Touchwood	2	228
5B	271	Cote	NIL	292
	276	Foam Lake	N/A	42
	277	Emerald	NIL	312
	305	Invermay	NIL	382
	307	Elfros	NIL	403
	308	Big Quill	NIL	223
	333 A	Clayton	N/A	NIL
	333 B	Clayton	N/A	348
	334	Preeceville	N/A	331
	335	Hazel Dell	N/A	315
	336	Sasman	NIL	336
	337	Lakeview	N/A	302
	338	Lakeside	NIL	231
	366	Kelvington	NIL	315
6A	189	Lumsden	8	239
	190 A	Dufferin	16	274
	190 B	Dufferin	NIL	248
	190 C	Dufferin	N/A	189
	190 D	Dufferin	N/A	197
	219	Longlaketon	NIL	218
	220	Mckillop	NIL	223
	221	Sarnia	N/A	274
	222	Craik	NIL	254
	251	Big Arm	2	258
	252	Arm River	1	221
	279	Mount Hope	N/A	261
	280	Wreford	NIL	247
	282	Mccraney	N/A	270
	309	Prairie Rose	N/A	230
	313	Lost River	NIL	164
	339	Leroy	NIL	229
	340	Wolverine	NIL	220
	341	Viscount	N/A	205
	343	Blucher	NIL	190
6B	283	Rosedale	0.5	153
	284	Rudy	3	267
	285	Fertile Valley	NIL	255
	286	Milden	NIL	368
	314	Dundurn	NIL	225
	344	Corman Park	NIL	267
	346	Perdue	NIL	327
	376 A	Eagle Creek	N/A	252
	376 B	Eagle Creek	NIL	260
	403	Rosthern	NIL	257
7A	260 A	Newcombe	N/A	102
	260 B	Newcombe	N/A	228
	261	Chesterfield	N/A	58
	287	St. Andrews	NIL	225
	288	Pleasant Valley	N/A	183
	290 A	Kindersley	NIL	205
	290 B	Kindersley	N/A	66
	292	Milton	N/A	180
	317 A	Marriott	N/A	318
	317 B	Marriott	NIL	315
	318 B	Mountain View	N/A	294
	320 A	Oakdale	4.5	266
	320 B	Oakdale	NIL	216
	321	Prairiedale	1	286

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	NIL	268
	347 B	Biggar	N/A	279
	350 A	Mariposa	NIL	222
	350 B	Mariposa	NIL	264
	351	Progress	NIL	231
	352	Heart's Hill	NIL	315
	377	Glenside	NIL	293
	378 A	Rosemount	NIL	293
	378 B	Rosemount	NIL	265
	379	Reford	NIL	254
	380	Tramping Lake	NIL	183
	381	Grass Lake	N/A	221
	409 A	Buffalo	N/A	249
	409 B	Buffalo	NIL	249
	410	Round Valley	NIL	295
	411	Senlac	N/A	248
8A	395	Porcupine	NIL	313
	397	Barrier Valley	0.1	293
	428	Star City	N/A	183
	456	Arborfield	NIL	242
	457	Connaught	N/A	292
	458	Willow Creek	NIL	296
	486	Moose Range	NIL	249
	487	Nipawin	NIL	227
8B	369	St. Peter	N/A	123
	370	Humboldt	N/A	192
	371 A	Bayne	N/A	206
	372	Grant	NIL	287
	402	Fish Creek	NIL	298
	429	Flett's Springs	NIL	255
	459	Kinistino	N/A	249
	460	Birch Hills	NIL	327
9AE	461	Prince Albert	N/A	267
	488 A	Torch River	NIL	358
	488 B	Torch River	N/A	NIL
	491	Buckland	NIL	218
9AW	406	Mayfield	NIL	222
	435	Redberry	N/A	277
	436	Douglas	NIL	232
	463	Duck Lake	NIL	252
	464	Leask	N/A	323
	467 A	Round Hill	NIL	177
	467 B	Round Hill	NIL	240
	494	Canwood	NIL	385
	496	Spiritwood	N/A	53
	497	Medstead	N/A	193
9B	438	Battle River	NIL	240
	440	Hillsdale	NIL	190
	442	Manitou Lake	0.3	251
	468 A	Meota	N/A	32
	468 B	Meota	N/A	285
	468 C	Meota	N/A	363
	498 A	Parkdale	NIL	373
	498 B	Parkdale	N/A	233
	499	Mervin	NIL	331
	501 A	Frenchman Butte	NIL	289
	501 B	Frenchman Butte	NIL	210
	501 C	Frenchman Butte	N/A	370
	561	Loon Lake	NIL	316
	588 A	Meadow Lake	N/A	325
	588 B	Meadow Lake	N/A	414
	588 C	Meadow Lake	NIL	484
	588 D	Meadow Lake	N/A	549
	622	Beaver River	NIL	268

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2011
To: September 26, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 3.0, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 28, 2011

Cropland Topsoil Moisture Conditions

September 27, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 28, 2011

Hay and Pasture Topsoil Moisture Conditions

September 27, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 28, 2011

© 2011 Government of Saskatchewan